

# Poly Plow

Y-PDL Series

**Cultivate in the paddy field or after disc plowing!**  
**Easy to adjust the depth for grinding the soil, reversing and tilling of soil!**

**1. Wide working width by Multiple discs!**

**2. Preparation the soil from paddy field to dry field!**

**3. Easy adjustment according to the field!**

## Crop example



Rice



Sugarcane



Cassava



Maize



Vegetables




## Cultivate in both hard fields and soft fields!

- By changing the mounting hole of the lower link bracket, the working width is changed and deeply cultivate regardless of the field conditions.

Mounted hole of the lower link bracket

Hard Soil

Soft Soil



## Easy adjustment of depth!

- The adjustment nut of the spring is attached not only to the lower part of the spring but also to the upper part and the depth adjustment stroke can lengthen. Working depth can be easily adjusted.



## High efficiency work!

- Wide work depth with 5 to 7 discs. High efficiency work with the speed of 3 to 8 km/h.



## Poly Plow Y-PDL Series




### Work on uncultivated land, with roots and stocks!


- As the disk rotates, Poly Plow can overcome stones, roots and stocks in the soil and prevent machine damage.



- Adjusting the rear disc angle and letting the rear disc bit into the soil will prevent wobble of the working machine and improve straight ahead.



Rear Disc



Adjust the angle and go straight.

### Prevent adhering the soil to disc!

- Equipped with the scraper at each disc. It prevents soil from adhering to the disc, and perform more stable work.



### Easy maintenance and can use for a long time!

#### Maintaining the performance of rotating parts

Equipped with grease nipple in each part of rotating parts. It can be used for a long time by applying grease regularly.



#### Tool is standard equipment

These tools can be used during the actual work. And also inspect the some parts.



### Specification

Model Name	Disc size (inch)	Quantity of disc (pieces)	Width x Length x Height (mm x mm x mm)	Weight (kg)	Working Width (mm)	Working Depth (mm)	Working Speed (km/hr)	Category	For soil	Horse Power (PS)	
Y2250PDL	22	5	1220 x 1690 x 940	303	1025	100	3 - 8	SAE #1	Any Soil	35 - 39	
Y2260PDL		6	1340 x 2220 x 955	350	1260					45 - 51	
Y2260PDL,W			1400 x 2200 x 955	372	1275						
Y2450PDL	24	5	1450 x 2200 x 980	390	1385	100 - 150		SAE #1		Any Soil	45 - 51
Y2460PDL		6		416							
Y2670PDL	26	7	1630 x 2720 x 1135	598	1680	150 - 200		SAE #2			70 - 90

※The design and specifications are subject to change without prior notice for product improvement.