

WARNING: this product may be harmful if swallowed, inhaled or absorbed through the skin.

PRECAUTIONS: Store in original container, tightly closed away from foods and feed stuffs. Do not smoke, eat or drink while handling the product. Avoid inhalation of spray mist and skin and eye contact with the concentrate. Wear protective clothing and gloves while handling the product. Wash hands, arm and face thoroughly with soap and water after work. Avoid contamination of water supplies with chemical or container.

BABALA: Ang produktong ay maaaring makalason kapag nalunok, nalanghap, o napunta sa balat. Huwag kumain, uminom o manigarilyo habang nagbobomba. Iwasang malanghap, malagyan ang mga mata at madikit sa balat ang kemikal. Magsuot ng damit panangga habang ginagamit ito. Hugasan ng sabon at tubig ang kamay, braso at mukha bago kumain o manigarilyo. Huwag gamitin uli ang pinagsidlan ng produkto. Iwasang maapektuhan ng kemikal at ng mga sisidlan nito ang anumang pinagkukunan ng tubig. Ang produktong ito ay nakakalason sa isda.

SIGNS AND SYMPTOMS OF POISONING: In contact with pure active ingredients, paresthesia (cold burning), mucous membrane irritation and coughing. In animals, scratching and pawing motions, salivation, tremor and movement disturbances.

FIRST AID TREATMENT:
IF SWALLOWED: Give plenty of water to drink. Do not induce vomiting unless there is a delay in medical attention. Do not give milk or alcohol. Get medical attention immediately.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
IF ON EYES: Flush eyes with flowing water for at least 15 minutes.

IF INHALED: Remove from contaminated area and bring patient to fresh air. If breathing has stopped, apply artificial respiration.

NOTE TO PHYSICIAN: There is no specific antidote. Can cause irritation and sensitization on exposure of skin and mucous membrane. In case of systemic poisoning, treat symptomatically. Diazepam for convulsion and maintenance of fluids and electrolyte balance. In oral poisoning avoid fats, oils and milk. Adrenaline and hydrocortisone may be indicated in anaphylactic reactions.

24 - HOUR EMERGENCY
National Poison Management and Control Center
Tel No. (02)8524-1078, 8567-2057
Mobile No. 0922-8961541
Fax No. (02)8526-0062

MANUFACTURED BY:
ZHEJIANG TONGLU HUIFENG
BIOSCIENCES CO., LTD
Hangzhou Zhejiang China

LOT/BATCH NO.:
DATE FORMULATED:
DATE OF EXPIRATION:

KEEP OUT OF REACH OF CHILDREN

BETA-CYFLUTHRIN GROUP 3A INSECTICIDE



ADABLAST BETA

•INSECTICIDE•

FOR THE CONTROL OF INSECT PEST INFESTING RICE, MANGO, EGGPLANT, HYBRID CORN AND TOBACCO

25EC



Active ingredient: Beta-cyfluthrin.....25 g/L
Inert ingredient: Calcium benzenesulfonate.....44.5 g/L
Tristyrylphenol ethoxylates.....22.1 g/L
Solvent naphtha.....To make 1L

500ml
Net Content

REGISTERED WITH THE FERTILIZER
AND PESTICIDE
AUTHORITY PURSUANT TO P.D.1144
FPA REGISTRATION NO.:

Distributed by:
ADA MANUFACTURING CORPORATION
Rizal Avenue Extension, Brgy. Cabaruan,
Cauayan City, Isabela.

REGISTERED USE:

| CROP | PEST | RATE per 16 L water (one tank load) | Spray Volume/Ha |
|-------------|--|-------------------------------------|-------------------|
| Rice | Leafhoppers Stem-borers Whorl Maggot, Malayan Black Bug | 25 ml – 40 ml 40ml – 50 ml | 160 Liters |
| Mango | Mango Hoppers | 30 ml – 65 ml | 800 – 2500 Liters |
| Eggplant | Fruit and Tip Borer | 15 ml – 20 ml | 400 Liters |
| Hybrid Corn | Seedling Maggot, Cornborer | 25 ml – 50 ml | 300 – 500 Liters |
| Tobacco | Budworm | 10 ml – 20 ml | 150 – 300 Liters |

DIRECTION FOR USE: Spray ADABlast Beta 25 EC at first sign of insect pest infestation using dose rate and spray volume as recommended above for rice, eggplant, mango, tobacco & corn. Repeat application if deemed necessary depending on insect pest infestation.

MIXING: Pour the required quantity of ADABlast Beta 25 EC into the sprayer tank partially filled with water and stir. Then fill the tank with water to the correct level and mix well.

COMPATIBILITY: ADABlast Beta 25 EC may be mixed with fungicides like Antracol and Bayleton. Spray mixtures must be applied immediately after being mixed.

PRE-HARVEST INTERVAL: Rice – 18 days, Tobacco – 7 days, Hybrid corn – 13 days, Mango – 28 days, Eggplant – 3 days.

RE-ENTRY: After spray deposits have dried.

STORAGE: Store in a cool dry place, away from food & feeds and reach of children.

CONTAINER DISPOSAL: Store in a cool place. Keep container tightly closed in a dry and well-ventilated place. Triple or preferable pressure rinse containers before disposal and deliver empty packaging to an approved waste management facility.

DO NOT RE-USE EMPTY CONTAINERS

PROHIBITION AND WARRANTY STATEMENT: It is a violation of FPA rules and regulations to use this product in a manner inconsistent with its label. No warranty of any kind expressed or implied, is made concerning the use of this product. User assumes all risks and liabilities arising from its handling, use of application.



WARNING X HARMFUL

