

WARNING:
This product may be harmful if swallowed, inhaled or absorbed through the skin.

PRECAUTIONS: Store in original container, tightly closed away from foods and feedstuffs. Do not smoke, eat or drink while handling the product. Avoid inhalation of spray mist and skin and eye contact with the product and diluted material. Wear eye goggles, gloves and overalls when handling the undiluted product. After work, thoroughly wash hands, face and contaminated skin using plenty of soap and water. Avoid contamination of water supplies with chemical or container.

BABALA: Itago sa orihinal na lalagyan malayo sa pagkain ng tao o hayop. Iwasang malanghap o malagyan ng kemikal ang mata at belat. Magsuot ng damit panangga habeng ginagamit ang produkto. Hugasang mabuti ang mga kamay, mukha at lehat ng perie ng katawan malapos magbomba. Iwasang maapektuhan ng kemikal at ng lalagyan nito ang anumang pinagkukunan ng tubig.

SIGN AND SYMPTOMS OF POISONING:
May be harmful if swallowed. May be harmful in contact with skin. May be harmful if inhaled.

FIRST AID TREATMENT: If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting. If in eyes, rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required. In case of skin contact, take off all the contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use. If inhaled, move victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and rest. Call a physician or contact a Poison Information Center immediately.

NOTE TO PHYSICIAN: There is no specific antidote. Treat symptomatically

IN CASE OF EMERGENCY, PLEASE CONTACT:
NATIONAL POISON MANAGEMENT AND CONTROL CENTER- UP PGH, Manila
Emergency Tel No. (02)8524-1078, (02)8554-8400 loc.2311
24-hour Poison Information Service (02)8521-8451 loc.2311
VICENTE SOTTO MEMORIAL MEDICAL CENTER
B. Rodriguez St., Cebu City Tel: (032) 8253-9898
SOUTHERN PHILIPPINES MEDICAL CENTER
JP Laurel Ave., Bajada, Davao City Tel: (082) 227-2731

KEEP OUT OF REACH OF CHILDREN

CYHALOFOF-BUTYL
+ BISPYRIBAC-SODIUM

GROUP A+B HERBICIDE



**ADABLAST
CYBIS 200 OD
•HERBICIDE•**

Post-emergent herbicide for the control of major grasses sedges and broadleaves infesting dry-direct-seeded rice



Active ingredients:
Cyhalofop butyl-----150 g/L
Bispyribac sodium-----50 g/L

Inert ingredients:
Triethylphenyl ethoxylate-----145 g/L
Sodium salt of 1-methyl-2-naphthylacetic acid-----36.1 g/L
Ammonium disodium sulfate-----18.5 g/L
Xanthan gum-----15.1 g/L
Methyl oleate-----To make 1L

1L
Net Content

REGISTERED WITH THE FERTILIZER AND PESTICIDE AUTHORITY PURSUANT TO P.D. 1144

Distributed by:
ADA MANUFACTURING CORPORATION
Rizal Avenue Extension, Brgy. Calawagan,
Cagayan City, Isabela.

FPA Registration No.:

DIRECTION FOR USE:

CROP	Target Pest/s	Recommended Use Rate	Spray Volume
Direct-seeded rice	Grasses: <i>Echinochloa</i> spp. <i>Leptochloa chinensis</i> <i>Ischaemum rugosum</i>	500mL to 1L Product/HA	160-192 L/HA
	Broad leaves: <i>Sphenoclea zeylanica</i> <i>Ludwigia octovalvis</i>		
	Sedges: <i>Cyperus iris</i> <i>Cyperus difformis</i>		

Can be applied on the following windows:
12-15 DAS (Mid Post), 21-25 DAS (Late post) or 30-40 DAS(Rescue)

RE-ENTRY PERIOD: As soon as spray dries up.

STORAGE AND DISPOSAL: Do not store near seeds, food and other feedstuff. Do not re-use container. Puncture and triple rinse before returning to accredited hazardous waste collector. Avoid contamination of water supply with chemical or empty container.

PROHIBITION AND WARRANTY: It is a violation of FPA rules and regulations to use this product in a manner inconsistent with its label. No warranty of any kind, expressed or implied, concerning the use of this product. User assumes all risks and liabilities resulting from handling, use or application.

Date of Formulation:
Date of Expiration:
Lot/Batch No.:

MANUFACTURED BY:
Zhejiang Tonglu Huifeng
Biosciences Co., Ltd
Hangzhou Zhejiang China

